

The image displays a 10x10 grid of binary patterns. The patterns are organized into four main sections: the top-left section contains 'C' and 'L' symbols; the top-right section contains 'I' and 'U' symbols; the bottom-left section contains 'T' and 'L' symbols; and the bottom-right section contains 'U' and 'T' symbols. Each symbol is represented by a specific pattern of black dots. The overall structure is a 10x10 grid, with each row and column corresponding to one of the 10 rows of the matrix.

FILEID**SETQUEUE

SSSSSSSS	EEEEEEEEE	TTTTTTTTT	QQQQQQ	UU	EEEEEEEEE	UU	EEEEEEEEE
SSSSSSSS	EEEEEEEEE	TT	QQ	UU	EE	UU	EE
SS	EE	TT	QQ	UU	EE	UU	EE
SS	EE	TT	QQ	UU	EE	UU	EE
SS	EE	TT	QQ	UU	EE	UU	EE
SSSSSS	EEEEEEE	TT	QQ	UU	EE	UU	EE
SSSSSS	EEEEEEE	TT	QQ	UU	EE	UU	EE
SS	EE	TT	QQ	UU	EE	UU	EE
SS	EE	TT	QQ	UU	EE	UU	EE
SS	EE	TT	QQ	UU	EE	UU	EE
SS	EE	TT	QQ	UU	EE	UU	EE
SSSSSSSS	EEEEEEEEE	TT	QQQQ QQ	UUUUUUUUU	EEEEEEEEE	UUUUUUUUU	EEEEEEEEE
SSSSSSSS	EEEEEEEEE	TT	QQQQ QQ	UUUUUUUUU	EEEEEEEEE	UUUUUUUUU	EEEEEEEEE
LL		SSSSSSSS	SSSSSSSS				
LL		SS	SS				
LL		SS	SS				
LL		SS	SS				
LL		SS	SS				
LL		SS	SS				
LL		SS	SS				
LL		SS	SS				
LLLLLLLLL		SSSSSSSS	SSSSSSSS				

SETQUEUE
Table of contents

B 8

15-SEP-1984 23:42:56 VAX/VMS Macro V04-00

Page 0

(2) 78 **SETQUEUE**

0000 1 .TITLE SET\$QUEUE
0000 2 .IDENT 'V04-000'
0000 3 *****
0000 4 *
0000 5 * COPYRIGHT (c) 1978, 1980, 1982, 1984 BY
0000 6 * DIGITAL EQUIPMENT CORPORATION, MAYNARD, MASSACHUSETTS.
0000 7 * ALL RIGHTS RESERVED.
0000 8 *
0000 9 * THIS SOFTWARE IS FURNISHED UNDER A LICENSE AND MAY BE USED AND COPIED
0000 10 * ONLY IN ACCORDANCE WITH THE TERMS OF SUCH LICENSE AND WITH THE
0000 11 * INCLUSION OF THE ABOVE COPYRIGHT NOTICE. THIS SOFTWARE OR ANY OTHER
0000 12 * COPIES THEREOF MAY NOT BE PROVIDED OR OTHERWISE MADE AVAILABLE TO ANY
0000 13 * OTHER PERSON. NO TITLE TO AND OWNERSHIP OF THE SOFTWARE IS HEREBY
0000 14 * TRANSFERRED.
0000 15 *
0000 16 * THE INFORMATION IN THIS SOFTWARE IS SUBJECT TO CHANGE WITHOUT NOTICE
0000 17 * AND SHOULD NOT BE CONSTRUED AS A COMMITMENT BY DIGITAL EQUIPMENT
0000 18 * CORPORATION.
0000 19 *
0000 20 *
0000 21 *
0000 22 * DIGITAL ASSUMES NO RESPONSIBILITY FOR THE USE OR RELIABILITY OF ITS
0000 23 * SOFTWARE ON EQUIPMENT WHICH IS NOT SUPPLIED BY DIGITAL.
0000 24 *
0000 25 *
0000 26 *****
0000 27 .
0000 28 .
0000 29 ++
0000 30 FACILITY: DCL SET Command
0000 31
0000 32 ABSTRACT:
0000 33 This module implements the SET QUEUE Command
0000 34
0000 35
0000 36 ENVIRONMENT:
0000 37
0000 38 Runs in user mode
0000 39
0000 40 AUTHOR : BEATRICE U. WALTHER, CREATION DATE: 24-JAN-1978
0000 41
0000 42 MODIFIED BY:
0000 43
0000 44 V03-003 MLJ0103 Martin L. Jack, 7-Jan-1983 3:52
0000 45 Disable this module -- function now in QUEMAN.EXE.
0000 46
0000 47 V03-002 GAS0091 Gerry Smith 19-Oct-1982
0000 48 Change input request for new CLD syntax.
0000 49
0000 50 V03-001 MLJ0086 Martin L. Jack, 4-Apr-1982 1:50
0000 51 Disallow /JOB=0.
0000 52
0000 53 V008 TMH0008 Tim Halvorsen 04-Feb-1982
0000 54 Remove reference to CLI\$K_ symbols at assembly time.
0000 55
0000 56 V02-007 MLJ35403 Martin L. Jack, 24-Jan-1982 2:08
0000 57 Incorporate standard translation of queue names.

0000	58	
0000	59	V02-006 GWF0126 Gary W. Fowler 13-Nov-1981
0000	60	Add logical name translation of input queue names
0000	61	
0000	62	V02-005 GWF0124 Gary W. Fowler 11-Nov-1981
0000	63	Add support for WS extent.
0000	64	
0000	65	V02-004 GWF0082 Gary W. Fowler 20-Jul-1981
0000	66	Change maximum length of job name to 9 characters.
0000	67	
0000	68	V02-003 GWF0065 Gary W. Fowler 22-Jun-1981
0000	69	Add routine to process /REQUEUE qualifier
0000	70	
0000	71	V02-002 GWF0001 Gary W. Fowler 15-Jan-1980
0000	72	Add action routines for /CPUTIME, /WSQUOTA, /WSDEFAULT, and
0000	73	/CHARACTERISTICS qualifiers.
0000	74	
0000	75	V02-001 -
0000	76	--

SET\$QUEUE

0000 78 .SBTTL SET\$QUEUE
0000 79 :++
0000 80 FUNCTIONAL DESCRIPTION:
0000 81
0000 82 This routine represents the main loop of the SET QUEUE command
0000 83 As the command line is parsed by successive calls to the CLI,
0000 84 the action routines for parameter and qualifiers construct a
0000 85 buffer to be sent to the symbiont manager.
0000 86 The symbiont manager's response is then read from a temporary
0000 87 mailbox to check successful completion of the action requested.
0000 88
0000 89
0000 90 CALLING SEQUENCE:
0000 91
0000 92 CALLS
0000 93
0000 94 INPUT PARAMETERS:
0000 95
0000 96 NONE
0000 97
0000 98 IMPLICIT INPUTS:
0000 99
0000 100 NONE
0000 101
0000 102 OUTPUT PARAMETERS:
0000 103
0000 104 NONE
0000 105
0000 106 IMPLICIT OUTPUTS:
0000 107
0000 108 NONE
0000 109
0000 110 COMPLETION CODES:
0000 111
0000 112 R0 = SSS_NORMAL
0000 113 any error code returned by system services called
0000 114 response from symbiont manager
0000 115
0000 116 SIDE EFFECTS:
0000 117
0000 118 NONE
0000 119
0000 120 :--
0000 121
0000 122 PSECT SET\$CODE BYTE, RD, NOWRT, EXE
0000 123 SET\$QUEUE::
50 01 0000 0000 124 WORD 0
0002 125 MOVL #1, R0 ; Disabled
04 0005 126 RET
0006 127
0006 128 .END

SET\$QUEUE
Symbol table

SET\$QUEUE 00000000 RG 01

+-----+
! Psect synopsis !
+-----+

PSECT name

	Allocation	PSECT No.	Attributes
ABS	00000000 { 0.) 00 (0.) NOPIC USR CON ABS LCL NOSHR NOEXE NORD NOWRT NOVEC BYTE		
SET\$CODE	00000006 { 6.) 01 (1.) NOPIC USR CON REL LCL NOSHR EXE RD NOWRT NOVEC BYTE		

+-----+
! Performance indicators !
+-----+

Phase

	Page faults	CPU Time	Elapsed Time
Initialization	16	00:00:00.07	00:00:01.43
Command processing	101	00:00:00.89	00:00:08.01
Pass 1	63	00:00:00.33	00:00:04.98
Symbol table sort	0	00:00:00.00	00:00:00.00
Pass 2	39	00:00:00.24	00:00:02.47
Symbol table output	2	00:00:00.01	00:00:00.01
Psect synopsis output	1	00:00:00.02	00:00:00.02
Cross-reference output	0	00:00:00.00	00:00:00.00
Assembler run totals	224	00:00:01.57	00:00:16.93

The working set limit was 750 pages.

1092 bytes (3 pages) of virtual memory were used to buffer the intermediate code.

There were 10 pages of symbol table space allocated to hold 1 non-local and 0 local symbols.

128 source lines were read in Pass 1, producing 11 object records in Pass 2.

0 pages of virtual memory were used to define 0 macros.

+-----+
! Macro library statistics !
+-----+

Macro library name

	Macros defined
\$255\$DUA28:[CLIUTL.OBJ][CLIUTL.MLB;1	0
\$255\$DUA28:[SYS.OBJ]LIB.MLB;1	0
\$255\$DUA28:[SYSLIB]STARLET.MLB;2	0
TOTALS (all libraries)	0

0 GETS were required to define 0 macros.

There were no errors, warnings or information messages.

MACRO/LIS=LISS\$SETQUEUE/OBJ=OBJ\$SETQUEUE MSRC\$SETQUEUE/UPDATE=(ENH\$SETQUEUE)+EXECMLS/LIB+LIB\$CLIUTL/LIB

0054 AH-BT13A-SE
VAX/VMS V4.0

DIGITAL EQUIPMENT CORPORATION
CONFIDENTIAL AND PROPRIETARY

SETPROCES
LIS

SETSHOBRO
LIS

SETVOLUME
LIS

SETPWD
LIS

SETTERM
LIS

SETTIME
LIS

SETQUEUE
LIS